

Title and Author Index To Volume 18 (1973)

Authors

- Accurso JA: Computer Science in Patient Management: A Brief Report, 52
Accurso J: see Harris TM
Allen JS: Ethics and Professional Adjustments (editorial), 376
Altman P, Pumphrey D, Bailey WC: Modification to Prevent Deactivation of Bennett Spirometer Alarm System During Mechanical Ventilation, 294
Alvarez FE: Good Management Starts with Yourself, 555
Andree RA: see Lee H
ANSI Z79 ETO Committee: Recommendations for Safe Use of Ethylene Oxide Sterilization of Devices and Equipment in Hospitals (statement), 181
Arensman D: see Pincus S
Awe RT: see Cockerham CV
Bageant RA, Hunt WB Jr: Two Errors in Tracheostomy Care, 292
Bailey F: Likes the New Look (letter), 256
Bailey WC: see Altman P
Barach AL, Smith W: A New Apparatus for Continuous Positive Pressure Breathing: Preliminary Report, 40
Barnes TA: A Quiz on Alveolar Ventilation, 28
Barnes TA: A Quiz on Regulation of Respiration, 147
Barrow RE, Colgan FJ: A Noninvasive Method for Measuring Newborn Respiration, 412
Becker KO, Cicman JH: A Quiz on Ethylene Oxide Sterilization, 460
Beyerl D: Use of a Full-Face Diving Mask for Pulmonary Function Testing, 285
Billingsley JG: see Radford R
Boyd SG: Unit Dose: A Possible Answer to Contamination Risk in IPPB Nebulizer Solutions, 428
Broadhurst J: Scratch Self-Sacrifice and Service to the Sick (letter), 402
Bryan C: Education—A Fresh Look (editorial), 380
Bryan CD: Report on the 1973 Educational Forum, 594
Bryan CD: What Is the ARIT Up To? (letter), 20
Burns TG: Veterinary Respiratory Care (letter), 143
Campbell RL, Herrera N: Simple Procedure for Ventilation/Perfusion Studies Using Xenon-133, 692
Carpenter V: see Petty TL
Chadwick DA: Prestretched Cuffs on Intratracheal Tubes (letter), 384
Cicman JH: Videotaping of Mock Oral Examinations, 289
Cicman JH: see Becker KO
Clark DW: see Scanlan C
Cockerham CV, Awe RJ: Modification of Ventilator Circuit to Permit Bronchoscopy During Mechanical Ventilation, 426
Colgan FJ: see Barrow RE
Cosgrove CA: Transfilling of Cylinders (letter), 528
Cross AS: Too Much Packaging (letter), 534
Crow KC: Manual Sighing During Mechanical Ventilation with PEEP (letter), 145
Deitch JG, Gulde RE: Early Recognition and Treatment of the Adult Respiratory Distress Syndrome: A Case Report, 286
Demers RR, Saklad M: Fundamentals of Blood Gas Interpretation, 153
Demers RR: Mr Demers Replies (letter), 400
DeWitt M: see Scott BJ
Dolan GK: Licensure—Boon or Bust for the Allied Health Professions? 44
Dombach JS, Glick RM: Modification of the Ohio 560 Ventilator for Neonatal Support, 558
Donn R, McCormack RJ: A Complete Patient and Equipment Status System for a Respiratory Therapy Service, 415
Eggleston R: Consumer Reports (letter), 402

Title and Author Index To Volume 18 (1973)

Authors

- Accurso JA: Computer Science in Patient Management: A Brief Report, 52
Accurso J: see Harris TM
Allen JS: Ethics and Professional Adjustments (editorial), 376
Altman P, Pumphrey D, Bailey WC: Modification to Prevent Deactivation of Bennett Spirometer Alarm System During Mechanical Ventilation, 294
Alvarez FE: Good Management Starts with Yourself, 555
Andree RA: see Lee H
ANSI Z79 ETO Committee: Recommendations for Safe Use of Ethylene Oxide Sterilization of Devices and Equipment in Hospitals (statement), 181
Arensman D: see Pincus S
Awe RT: see Cockerham CV
Bageant RA, Hunt WB Jr: Two Errors in Tracheostomy Care, 292
Bailey F: Likes the New Look (letter), 256
Bailey WC: see Altman P
Barach AL, Smith W: A New Apparatus for Continuous Positive Pressure Breathing: Preliminary Report, 40
Barnes TA: A Quiz on Alveolar Ventilation, 28
Barnes TA: A Quiz on Regulation of Respiration, 147
Barrow RE, Colgan FJ: A Noninvasive Method for Measuring Newborn Respiration, 412
Becker KO, Cicman JH: A Quiz on Ethylene Oxide Sterilization, 460
Beyerl D: Use of a Full-Face Diving Mask for Pulmonary Function Testing, 285
Billingsley JG: see Radford R
Boyd SG: Unit Dose: A Possible Answer to Contamination Risk in IPPB Nebulizer Solutions, 428
Broadhurst J: Scratch Self-Sacrifice and Service to the Sick (letter), 402
Bryan C: Education—A Fresh Look (editorial), 380
Bryan CD: Report on the 1973 Educational Forum, 594
Bryan CD: What Is the ARIT Up To? (letter), 20
Burns TG: Veterinary Respiratory Care (letter), 143
Campbell RL, Herrera N: Simple Procedure for Ventilation/Perfusion Studies Using Xenon-133, 692
Carpenter V: see Petty TL
Chadwick DA: Prestretched Cuffs on Intratracheal Tubes (letter), 384
Cicman JH: Videotaping of Mock Oral Examinations, 289
Cicman JH: see Becker KO
Clark DW: see Scanlan C
Cockerham CV, Awe RJ: Modification of Ventilator Circuit to Permit Bronchoscopy During Mechanical Ventilation, 426
Colgan FJ: see Barrow RE
Cosgrove CA: Transfilling of Cylinders (letter), 528
Cross AS: Too Much Packaging (letter), 534
Crow KC: Manual Sighing During Mechanical Ventilation with PEEP (letter), 145
Deitch JG, Gulde RE: Early Recognition and Treatment of the Adult Respiratory Distress Syndrome: A Case Report, 286
Demers RR, Saklad M: Fundamentals of Blood Gas Interpretation, 153
Demers RR: Mr Demers Replies (letter), 400
DeWitt M: see Scott BJ
Dolan GK: Licensure—Boon or Bust for the Allied Health Professions? 44
Dombach JS, Glick RM: Modification of the Ohio 560 Ventilator for Neonatal Support, 558
Donn R, McCormack RJ: A Complete Patient and Equipment Status System for a Respiratory Therapy Service, 415
Eggleston R: Consumer Reports (letter), 402

- Eggleston R: Let Other Departments Share the Work (points of view), 222
 Engel J: A Study and a Written Plan as Management Tools, 291
 Fadale V: see Ziecheck HD
 Feely WJ, Saucier JE Jr: Selecting Respiratory Therapy Personnel, 168
 Felkner D: A Protocol for Teaching and Maintaining Arterial Puncture Skills Among Respiratory Therapists, 700
 Gandevia B: Changing Asthma Mortality in Australia (letter), 24
 Gardiner WR: Disconnect-Alarm Modification of Bennett MA-1 Respirator, 167
 Gardiner WR: Mounting Bracket for Biomarine 202R Oxygen Analyzer, 54
 Glick RM: see Dombach JS
 Gomez L: see Pincus S
 Goodpasture J: A Respiratory Therapy Record System, 48
 Greene JBR: Health Agencies Should Read It (letter), 20
 Gulde RE: see Deitch JG
 Hall DR: Competence is the Best Qualification (letter), 656
 Hall DR: Who Is "Unqualified?" (letter), 528
 Hampp DW: Stick to the Essentials (letter), 260
 Hansen KT: A Supportive Flange for the Nelson Tracheostomy Button, 177
 Harris TM, Richards WJ, Accurso J: Effect of Line Voltage Changes on Cycling Rate of Emerson 3-PV Ventilators, 690
 Harrison RA: see Shapiro BA
 Helmholtz HF: JRCITE Affairs, 590
 Herbert WJ III, Slaterry LT: Short-Circuit Hazard in Bennett MA-1 Ventilators, 173
 Herrera N: see Campbell RL
 Hill WJ: see Radford R
 Hinds RD: see Weilacher RR
 Hunt WB Jr: see Bageant RA
 Hursey FX: Solving Heater-Switch Malfunction in Bennett Cascade Humidifiers, 59
 Jandowski R: Toys—Another Oxygen Fire Hazard (letter), 22
 Jones G: New Device to Secure Endotracheal Tubes, 171
 Kay E: Relationships with Cystic Fibrosis Patients, 84
 Kelsen SG, Weiner S: Determining Alveolar Oxygen Tension (letter), 658
 Kielar S: Move Up to Group III (points of view), 105
 King JG: Air For Living, 160
 Kittredge P: A Faculty for work (editorial), 650
 Kittredge P: IPPB—The Pressure is Building (editorial), 644
 Kosmatka A: see Luedke J
 Lagerson J: The Bed and the Breath, 190
 Lagerson J: Better Breathing for All, 72
 Lagerson J: The Cough: Its Effectiveness Depends on You, 434
 Lakshminarayan S: see Petty TL
 Landsberg LS: see Raman TK
 Lee H, Andree RA: Malfunction of a Tracheoflex Tracheostomy Tube, 562
 Lehmus JA: Automatic Fluid-level Modification for **bird** 500-cc Nebulizer, 55
 Livingston JP: Compilation of Contract Service Companies List (letter), 143
 Livingston JP: FDA Cylinder Procedures (letter), 656
 London TR: **bird** Respirator Modification for Positive End Expiratory Pressure, 179
 Luedke J, Kosmatka A: A New Method of Weaning from Respirator Support, 561
 MacDonald DW: Responsibility Not Transferable (letter), 654
 McCormack RJ: see Donn R
 Marino P: see Marro J
 Marro J, Marino P: Near Drowning Treated with PEEP: A Case Report, 706
 Metzger KO: see Zwagil LW
 Miller WT: An Introduction to Chest Radiology, 304
 Miller WT: Specialized Radiographic Examinations, 452
 Miller WT: X-Rayted Case Report #1, 588

Miller WT: X-Rayted Case Report# 2. 720
 Motley HL: Helium-Oxygen Therapy (Answering Service), 668
 Mullen AF: Mr Mullen Replies (letter), 24
 Nelson E: 1972 Mead Johnson Fellowship Winners (letter), 26
 Nett LM: see Petty TL
 Niswander M: Oxygen Analyzer Mount for Incubators (letter), 536
 Nurick H: see Ziecheck HD
 Olson BL: No More Poems, Please (letter), 662
 Osler W: Scientific Method (points of view), 223
 Petty T: Alphabet Soup (editorial), 10
 Petty TL, Carpenter V, Nett LM: A Simple Compressed Gas System for Ambulatory Oxygen, 281
 Petty TL, Nett LM, Lakshminarayan S: A Single Nasal Prong for Continuous Oxygen Therapy, 421
 Pierce AK: Oxygen Toxicity, 612
 Pierson DJ: Respiratory Stimulants: Review of the Literature and Assessment of Current Status, 549
 Pincus S, Gomez L, Arensman D: Oxygen Electrode Safety Retainer for Mechanical Ventilators, 708
 Porter PA: Evaluation of a Disposable Volume Ventilator Circuit, 165
 Pulliam JM: Modifying the Monaghan 701 "On Guard" Monitor for PEEP, 564
 Pumphrey D: see Altman P
 Radford R, Billingsley JG, Willich W, Hill WJ: Mucociliary Transport in the Isolated Trachea, 541
 Raman TK, Landsberg LS: Management of the Adult Respiratory Distress Syndrome in a Community Hospital, 697
 Rawlinson JW: Michigan Airway (letter), 22
 Rich GT: A New Combination Resuscitator-CPPB Device, 277
 Rich GT: Deadspace and A-E CO₂ Gradients (letter), 390
 Richards WJ: see Harris TM
 Roberts RB: Throwing the Baby Out with the Bathwater? (editorial), 248
 Rogers E: Deadspace Role in End-Tidal CO₂ Monitoring (letter), 25
 Rogers E: Effects of the "Measuror" Upon the "Measuree" (letter), 394
 Ryan JF: A Whistle Communication Device for Immobilized Mute Patients, 424
 Said SI: The Lung in Relation to Hormones, 722
 Saklad M: see Demers RR
 Sanders OJ: see Williams TJ
 Saposnick AB: What Is Professionalism? (points of view), 222
 Saposnick A: see Toben B
 Saucier JE Jr: see Feely WJ
 Scanlan C, Clark DW: Keeping the Dump Dry (letter), 26
 Scott BJ, DeWitt M: A Life-Saving Mission for the Attache Case, 57
 Segal MS: Rehabilitation for Patients with Disabling Chronic Pulmonary Diseases (General Principles), 269
 Shapiro BA, Harrison RA, Trout CA: Case Study: Postoperative Ventilatory Failure, 570
 Sheely RB: Criticism of Blood Gas Interpretation Article (letter), 396
 Slattery LT: see Herbert WJ III
 Sluman R: CPR Instructors for the Community (letter), 143
 Smith W: see Barach AL
 Spearman CB: A Quiz on Oxygen Percentage Controlling Devices, 262
 Spearman CB: A Quiz on Volume Ventilators, 584
 Spearman CB: Control of Inspired Oxygen Concentration and Addition of PEEP or CPAP with the Bourns Pediatric Ventilator, 405
 Staub NC: Pulmonary Structure as Related to Its Function, 346
 Thomas LS: Another Unit Dose System (letter), 660
 Toben BP: Accidental Pulmonary Lavage: A Case Report, 175
 Toben BP, Saposnick A: Toben & Saposnick Grant Reprint Permission (letter), 22
 Trout CA: see Shapiro BA
 Urband R: Bystander or Lifesaver? (editorial), 648
 Wanta G: Ollie Oxygen and the CO₂ Machine or A Short Course on the Ins and Outs of Respiration, 472
 Weilecher RR: Provincialism, Politics, and Challenge (editorial), 128

- Weilacher RR, Hinds RD: Teaching Cardiopulmonary Resuscitation in a Community Hospital, 544
 Weiner S: see Kelsen SG
 Wilcox D: Modified Oxygen-Delivery Equipment for Collins Spirometer, 296
 Wiles TS: Why Hire the "Handicapped?" (letter), 256
 Williams TJ: Unnecessary Fear (points of view), 105
 Williams TJ, Sanders OJ: Another Adaptation of the Bennett Cascade Humidifier to the Ohio 560 Ventilator, 431
 Willich W: see Radford R
 Wrigley FRH: Hazard with **bird**-PEEP Modification (letter), 654
 Yanda RL: Quality Control of IPPB Therapy: A Baseline Study, 33
 Ziecheck HD, Nurick H, Fadale V: A Method for Increased Inspired Oxygen Concentration with the Hope Resuscitator, 409
 Ziment I: Why Are They Saying Bad Things About IPPB? 677
 Zwigil LW, Metzert KO: Mechanical Ventilation Compromised by Misplacement of Nasogastric Tube: Report of an Unusual Incident, 60

Titles

- Accidental Pulmonary Lavage, Toben BP, 175
 Air For Living, King JG, 160
 Air Necessary For the Life of Animals, 184
 Alphabet Soup (editorial), Petty TL, 10
 Another Adaptation of the Bennett Cascade Humidifier to the Ohio 560 Ventilator, Williams TJ, Sanders OJ, 431
 Another Unit Dose System (letter), Thomas LS, 660
 Annual Meeting Section, 494
 Automatic Fluid-level Modification for **bird** 500-cc Nebulizer, Lehmus JA, 55
 The Bed and the Breath, Lagerson J, 190
 Better Breathing for All, Lagerson J, 72
bird Respirator Modification for Positive End Expiratory Pressure, London TR, 179
 Buyers' Guide, 746
 Bystander or Lifesaver? (editorial), Urban R, 648
 Case Study: Postoperative Ventilatory Failure, Shapiro BA, Harrison RA, Trout CA, 570
 Changing Asthma Mortality in Australia (letter), Gandevia B, 24
 Competence is the Best Qualification (letter), Hall DR, 656
 Compilation of Contract Service Companies List (letter), Livingston JP, 143
 A Complete Patient and Equipment Status System for a Respiratory Therapy Service, Donn R, McCormack RJ, 415
 Computer Science in Patient Management: A Brief Report, Accurso JA, 52
 Consumer Reports (letter), Eggleston R, 402
 Control of Inspired Oxygen Concentration and Addition of PEEP or CPAP with the Bourns Pediatric Ventilator, Spearman CB, 405
 The Cough—Its Effectiveness Depends on You, Lagerson J, 434
 CPR Instructors for the Community (letter), Sluman R, 143
 Criticism of Blood Gas Interpretation Article (letter), Sheely RD, 396
 Deadspace and A-E CO₂ Gradients (letter) Rich GT, 390
 Deadspace Role in End-tidal CO₂ Monitoring (letter), Rogers E, 25
 Determining Alveolar Oxygen Tension (letter), Kelsen SG, Weiner S, 658
 Disconnect-Alarm Modification of Bennett MA-1 Respirator, Gardiner WR, 167
 Early Recognition and Treatment of the Adult Respiratory Distress Syndrome: A Case Report, Deitch JG, Gulde RE, 286
 Education—A Fresh Look (editorial), Bryan C, 380
 Effect of Line Voltage Changes on Cycling Rate of Emerson 3-PV Ventilators, Harris TM, Richards WJ, Accurso J, 690

Effects of the "Measuror" Upon the "Measuree" (letter), Rogers E, 394
 Ethics and Professional Adjustments (editorial), Allen JS, 376
 Ethylene Oxide Sterilization— A Help or Hazard in Hospitals (editorial), 136
 Evaluation of a Disposable Volume Ventilator Circuit, Porter PA, 165
 Experiment in Respiration, 1854, 186
 A Faculty for work (editorial), Kittredge P, 650
 FDA Cylinder Procedures (letter), Livingston JP, 656
 Fundamentals of Blood Gas Interpretation, Demers RR, Saklad M, 153
 Galvanic Experiments on the Dead Body of a Criminal (1854), 298
 Good Management Starts with Yourself, Alvarez FE, 555
 Hazard with **bird**-PEEP Modification (letter), Wrigley FRH, 654
 Health Agencies Should Read It (letter), Greene JBR, 20
 Helium-Oxygen Therapy (answering service), Motley HL, 668
 An Introduction to Chest Radiology, Miller WT, 304
 IPPB—The Pressure is Building (editorial), Kittredge P, 644
 JRCITE Affairs, Helmholtz HF, 590
 Keeping the Dump Dry (letter), Scanlan C, Clark DW, 26
 Let Other Departments Share the Work (points of view), Eggleston R, 222
 Licensure—Boon or Bust for the Allied Health Professions? Dolan GK, 44
 A Life-Saving Mission for the Attache Case, Scott BJ, DeWitt M, 57
 Likes the New Look (letter), Bailey F, 256
 The Lung in Relation to Hormones, Said SI, 722
 Malfunction of a Tracheoflex Tracheostomy Tube, Lee H, Andree RA, 562
 Management of the Adult Respiratory Distress Syndrome in a Community Hospital, Raman TK, Landsberg LS, 697
 Manual Sighing During Mechanical Ventilation with PEEP (letter), Crow KC, 145
 1972 Mead Johnson Fellowship Winners (letter), Nelson E, 26
 Mechanical Ventilation Compromised by Misplacement of Nasogastric Tube: Report of an Unusual Incident,
 Zwagil LW, Metzertott KO, 60
 A Method for Increased Inspired Oxygen Concentration with the Hope Resuscitator, Ziecheck HD, Nurick H,
 Fadale V, 409
 Michigan Airway (letter), Rawlinson JW, 22
 Modification of the Ohio 560 Ventilator for Neonatal Support, Dombach JS, Glick RM, 558
 Modification of Ventilator Circuit to Permit Bronchoscopy During Mechanical Ventilation, Cockerham CV, Awe RJ,
 426
 Modification To Prevent Deactivation of Bennett Spirometer Alarm System During Mechanical Ventilation,
 Altman P, Pumphrey D, Bailey WC, 294
 Modified Oxygen-Delivery Equipment for Collins Spirometer, Wilcox D, 296
 Modifying the Monaghan 701 "On Guard" Monitor for PEEP, Pulliam JM, 564
 Move Up to Group III (points of view), Kielar S, 105
 Mounting Bracket for Biomarine 202R Oxygen Analyzer, Gardiner WR, 54
 Mr Demers Replies (letter), Demers RR, 400
 Mr Mullen Replies (letter), Mullen AF, 24
 Mucociliary Transport in the Isolated Trachea, Radford R, Billingsley JG, Willich W, Hill WJ, 541
 Near Drowning Treated with PEEP: A Case Report, Marro J, Marino P, 706
 New Apparatus for Continuous Positive Pressure Breathing: Preliminary Report, Barach AL, Smith W, 40
 A New Combination Resuscitator-CPPB Device for Infants, Rich GT, 277
 New Device to Secure Endotracheal Tubes, Jones G, 171
 A New Method of Weaning from Respirator Support, Luedke J, Kosmatka A, 561
 No More Poems, Please (letter), Olson BL, 662
 No References Required (letter), 530
 A Noninvasive Method for Measuring Newborn Respiration, Barrow RE, Colgan FJ, 412
 Ollie Oxygen and the CO₂ Machine or A Short Course on the Ins and Outs of Respiration, Wanta G, 472
 Open Forum Abstracts, 738
 Oxygen Analyzer Mount for Incubators (letter), Niswander M, 536
 Oxygen Electrode Safety Retainer for Mechanical Ventilators, Pincus S, Gomez L, Arensman D, 708

Oxygen Toxicity, Pierce AK, 612
 Prestretched Cuffs on Intratracheal Tubes (letter) Chadwick DA, 384
 A Protocol for Teaching and Maintaining Arterial Puncture Skills Among Respiratory Therapists, Felkner D, 700
 Provincialism, Politics, and Challenge (editorial), Weilacher RR, 128
 Pulmonary Structure as Related to Its Function, Staub NC, 346
 Quality Control of IPPB Therapy: A Baseline Study, Yanda RL, 33
 A Quiz on Alveolar Ventilation, Barnes TA, 28
 A Quiz on Ethylene Oxide Sterilization, Becker KO, Cicman JH, 460
 A Quiz on Oxygen Percentage Controlling Devices, Spearman CB, 262
 A Quiz on Regulation of Respiration, Barnes TA, 147
 A Quiz on Volume Ventilators, Spearman CB, 584
 Recommendations for Safe Use of Ethylene Oxide Sterilization of Devices and Equipment in Hospitals (statement), ANSI Z79 ETO Committee, 181
 Rehabilitation of Patients with Disabling Chronic Pulmonary Diseases (General Principles), Segal MS, 269
 Relationships with Cystic Fibrosis Patients, Kay E, 84
 Report on 1973 Educational Forum, Bryan CD, 594
 Respiratory Stimulants: Review of the Literature and Assessment of Current Status, Pierson DJ, 549
 Respiratory Therapy Formal Education Programs (listing), 330
 A Respiratory Therapy Record System, Goodpasture J, 48
 Responsibility Not Transferable (letter), MacDonald DW, 654
 Scientific Method (points of view), Osler W, 223
 Scratch Self-Sacrifice and Service to the Sick (letter), Broadhurst J, 402
 Scurvy Treatment in 1747, 68
 Selecting Respiratory Therapy Personnel, Feely WJ, Saucier JE Jr, 168
 A Set of Figures, a Jar of Water, a Pile of Salt (points of view), 712
 Short-Circuit Hazard in Bennett MA-1 Ventilators, Herbert WJ III, Slattery LT, 173
 A Simple Compressed Gas System for Ambulatory Oxygen, Petty TL, Carpenter V, Nett LM, 281
 Simple Procedure for Ventilation/Perfusion Studies Using Xenon-133, Campbell RL, Herrera N, 692
 A Single Nasal Prong for Continuous Oxygen Therapy, Petty TL, Nett LM, Lakshminarayan S, 421
 Solving Heater-Switch Malfunction in Bennett Cascade Humidifiers, Hursey FX, 59
 Specialized Radiographic Examinations, Miller WT, 452
 Stick to the Essentials (letter), Hampp DW, 260
 A Study and a Written Plan as Management Tools, Engel J, 291
 A Supportive Flange for the Nelson Tracheostomy Button, Hansen KT, 177
 Teaching Cardiopulmonary Resuscitation in a Community Hospital, Weilacher RR, Hinds RD, 544
 Throwing the Baby Out with the Bathwater? (editorial), Roberts RB, 248
 Toben & Saposnick Grant Reprint Permission (letter), Toben B, Saposnick A, 22
 Too Much Packaging (letter), Cross AS, 534
 Toys—Another Oxygen Fire Hazard (letter), Jankowski R, 22
 Transfilling of Cylinders (letter), Cosgrove CA, 528
 Two Errors in Tracheostomy Care, Bageant RA, Hunt WB Jr, 292
 Unit Dose: A Possible Answer to Contamination Risk in IPPB Nebulizer Solutions, Boyd SG, 428
 Unnecessary Fear (points of view), Williams TJ, 105
 Use of a Full-Face Diving Mask for Pulmonary Function Testing, Beyerl D, 284
 Veterinary Respiratory Care (letter), Burns TG, 143
 Videotaping of Mock Oral Examinations, Cicman JH, 289
 What Is the ARIT Up To? (letter), Bryan CD, 20
 What Is Professionalism? (points of view), Saposnick AB, 222
 A Whistle Communication Device for Immobilized Mute Patients, Ryan JF, 424
 Who Is "Unqualified?" (letter), Hall DR, 528
 Why Are They Saying Bad Things About IPPB? Ziment I, 677
 Why Hire the "Handicapped?" (letter), Wiles TS, 256
 X-Rayted Case Report #1, Miller WT, 588
 X-Rayted Case Report #2, Miller WT, 720